10/632,009.

Cod

Date Filed: July 31, 2003

October 10, 2006

U.S. Patent 7,119,418 No.:

Title: SUPERCRITICAL FLUID-ASSISTED

DEPOSITION OF MATERIALS ON SEMICONDUCTOR SUBSTRATES

Customer 24239

No.:

No.:

Confirmation

24239

9371

FIRST CLASS MAIL CERTIFICATE

I hereby certify that I am mailing the attached documents to the Commissioner for Patents on the date specified, in an envelope addressed to the Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450, and First Class Mailed under the provisions of 37 CFR 1.8.

Lillian S. Glenn

~

Certificate

DEC 2 1 2006

of Correction

SUBMISSION OF CERTIFICATE OF CORRECTION UNDER THE PROVISIONS OF 37 CFR § 1.323 AND 35 U.S.C. § 255 FOR U.S. PATENT NO. 7,119,418

Commissioner for Patents PO Box 1450 Alexandria, VA 22313-1450

Date Issued:

Sir:

Enclosed is a Certificate of Correction submitted under the provisions of 35 U.S.C. §254, to correct errors of the Patent and Trademark Office in the printing of the above-identified U.S. Patent.

In addition to the errors of the Patent and Trademark Office, a review of the patent has revealed the presence of an error attributable to applicants/patentees, as listed below:

Column 12, line 42, please delete "fliuid" and insert in place thereof --fluid--

The patentees hereby bring this error to the attention of the Patent and Trademark Office, so that same are made of record in the file of this patent.

Respectfully submitted,

Tristan A. Fuierer Reg. No. 52,926

Attorney for Applicant(s)/Patentee(s)

MOORE & VAN ALLEN PLLC

Phone: (919) 286-8000 Fax: (919) 286-8199

Attorney File No.: 020732-208.537 CIP

Approved for use through 01/31/2004. OMB 0651-0033

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO:

7,119,418 B2

DATED:

October 10, 2006

INVENTOR(S):

Chongying Xu et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 18, line 54, "Conning" should be --forming--Column 19, line 2, "C-C₁₀" should be --C₈-C₁₀--Column 21, line 1, "(8-diketonate), L" should be --(8-diketonate), L-

Column 21, line 12, "(ß-diketonate)_x.L" should be --(ß-diketonate)_x·L-Column 22, line 44, "C₅-C₁₀" should be --C₅-C₁₀-Column 24, line 40, please delete the "," after the word fluid Column 24, line 46, "(ß-diketonate)_x.L" should be --(ß-diketonate)_x.L-

Column 24, line 57, "(ß-diketonate)x.L" should be --(ß-diketonate)x-L-

Column 25, line 7, please insert a space after "fluid,"

Column 25, lines 50-53, please cancel claim 100

Column 26, lines 9-12, please cancel claim 103

MAILING ADDRESS OF SENDER:

PATENT NO. 7,119,418 B2

Tristan A. Fuierer Moore & Van Allen PLLC P.O. Box 13706 Research Triangle Park NC 27709

No. of additional copies 0

Burden Hour Statement: This form is estimated to take 1.0 hour to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

PTO/SB/ 44 (02-01)

Approved for use through 01/31/2004. OMB 0651-0033

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

DEG 2 6 2006